

Summary data and calculations extracted from [Lee SH et al. Development of third molars in Korean juveniles and adolescents. Forensic Science International 2009; 188: 107-111.](#)

TDS	n	mean	sd	se	med	min	max	range	99.9%CI	99.9%CIUL	0.50%	2.5%	5%	10%	25%	50%	75%	90%	95%	97.50%	99.50%	TDS
UR8Af	59	9.7	1.3	0.17	*	5.8	13.6	7.8	9.26	10.14	6.37		7.56	8.03	8.82	9.70	10.58	11.37	11.84		13.05	UR8Af
UR8Am	54	9.9	1.1	0.15	*	6.6	13.2	6.6	9.51	10.29	7.08		7.76	8.49	9.16	9.90	10.64	11.31	11.71		12.73	UR8Am
UR8Bf	49	10.7	1.2	0.17	*	7.1	14.3	7.2	10.26	11.14	7.63		8.56	9.16	9.89	10.70	11.51	12.24	12.67		13.79	UR8Bf
UR8Bm	55	11.0	1.3	0.18	*	7.1	14.9	7.8	10.55	11.45	7.67		8.86	9.33	10.12	11.00	11.88	12.67	13.14		14.35	UR8Bm
UR8Cf	95	12.5	1.5	0.15	*	8.0	17.0	9.0	12.10	12.90	8.66		10.36	10.58	11.49	12.50	13.51	14.42	14.97		16.36	UR8Cf
UR8Cm	92	12.2	1.8	0.19	*	6.8	17.6	10.8	11.72	12.68	7.59		10.06	9.89	10.99	12.20	13.41	14.51	15.16		16.84	UR8Cm
UR8Df	103	14.4	1.7	0.17	*	9.3	19.5	10.2	13.97	14.83	10.05		12.26	12.22	13.25	14.40	15.55	16.58	17.20		18.78	UR8Df
UR8Dm	74	14.1	1.7	0.20	*	9.0	19.2	10.2	13.59	14.61	9.75		11.96	11.92	12.95	14.10	15.25	16.28	16.90		18.48	UR8Dm
UR8Ef	134	15.9	1.6	0.14	*	11.1	20.7	9.6	15.54	16.26	11.80		13.76	13.85	14.82	15.90	16.98	17.95	18.53		20.02	UR8Ef
UR8Em	81	15.8	1.6	0.18	*	11.0	20.6	9.6	15.34	16.26	11.70		13.66	13.75	14.72	15.80	16.88	17.85	18.43		19.92	UR8Em
UR8Ff	128	17.5	1.9	0.17	*	11.8	23.2	11.4	17.07	17.93	12.64		15.36	15.06	16.22	17.50	18.78	19.94	20.63		22.39	UR8Ff
UR8Fm	80	16.7	1.5	0.17	*	12.2	21.2	9.0	16.27	17.13	12.86		14.56	14.78	15.69	16.70	17.71	18.62	19.17		20.56	UR8Fm
UR8Gf	83	19.3	2.1	0.23	*	13.0	25.6	12.6	18.71	19.89	13.92		17.16	16.61	17.88	19.30	20.72	21.99	22.75		24.71	UR8Gf
UR8Gm	73	18.2	1.6	0.19	*	13.4	23.0	9.6	17.72	18.68	14.10		16.06	16.15	17.12	18.20	19.28	20.25	20.83		22.32	UR8Gm
UR8Hf	204	22.3	1.8	0.13	*	16.9	27.7	10.8	21.97	22.63	17.69		20.16	19.99	21.09	22.30	23.51	24.61	25.26		26.94	UR8Hf
UR8Hm	184	20.9	1.3	0.10	*	17.0	24.8	7.8	20.65	21.15	17.57		18.76	19.23	20.02	20.90	21.78	22.57	23.04			UR8Hm
TDS	n	mean	sd	se	med	min	max	range	99.9%CI	99.9%CIUL	0.50%	2.5%	5%	10%	25%	50%	75%	90%	95%	97.50%	99.50%	TDS
UL8Af	65	9.7	1.3	0.16	*	5.8	13.6	7.8	9.28	10.12	6.37		7.56	8.03	8.82	9.70	10.58	11.37	11.84		13.05	UL8Af
UL8Am	60	10.1	1.1	0.14	*	6.8	13.4	6.6	9.73	10.47	7.28		7.96	8.69	9.36	10.10	10.84	11.51	11.91		12.93	UL8Am
UL8Bf	50	10.8	1.3	0.18	*	6.9	14.7	7.8	10.33	11.27	7.47		8.66	9.13	9.92	10.80	11.68	12.47	12.94		14.15	UL8Bf
UL8Bm	59	11.1	1.2	0.16	*	7.5	14.7	7.2	10.70	11.50	8.03		8.96	9.56	10.29	11.10	11.91	12.64	13.07		14.19	UL8Bm
UL8Cf	103	12.4	1.4	0.14	*	8.2	16.6	8.4	12.04	12.76	8.82		10.26	10.61	11.46	12.40	13.34	14.19	14.70		16.01	UL8Cf
UL8Cm	96	11.9	1.6	0.16	*	7.1	16.7	9.6	11.48	12.32	7.80		9.76	9.85	10.82	11.90	12.98	13.95	14.53		16.02	UL8Cm
UL8Df	100	14.3	1.7	0.17	*	9.2	19.4	10.2	13.86	14.74	9.95		12.16	12.12	13.15	14.30	15.45	16.48	17.10		18.68	UL8Df
UL8Dm	72	14	1.6	0.19	*	9.2	18.8	9.6	13.51	14.49	9.90		11.86	11.95	12.92	14.00	15.08	16.05	16.63		18.12	UL8Dm
UL8Ef	131	15.9	1.6	0.14	*	11.1	20.7	9.6	15.54	16.26	11.80		13.76	13.85	14.82	15.90	16.98	17.95	18.53		20.02	UL8Ef

<b>UL8Em</b>	86	15.9	1.7	0.18	*	10.8	21.0	10.2	15.43	16.37	11.55		13.76	13.72	14.75	15.90	17.05	18.08	18.70	20.28	<b>UL8Em</b>		
<b>UL8Ff</b>	133	17.5	1.9	0.16	*	11.8	23.2	11.4	17.07	17.93	12.64		15.36	15.06	16.22	17.50	18.78	19.94	20.63	22.39	<b>UL8Ff</b>		
<b>UL8Fm</b>	82	16.8	1.5	0.17	*	12.3	21.3	9.0	16.37	17.23	12.96		14.66	14.88	15.79	16.80	17.81	18.72	19.27	20.66	<b>UL8Fm</b>		
<b>UL8Gf</b>	77	19.2	1.9	0.22	*	13.5	24.9	11.4	18.64	19.76	14.34		17.06	16.76	17.92	19.20	20.48	21.64	22.33	24.09	<b>UL8Gf</b>		
<b>UL8Gm</b>	72	18.3	1.5	0.18	*	13.8	22.8	9.0	17.84	18.76	14.46		16.16	16.38	17.29	18.30	19.31	20.22	20.77	22.16	<b>UL8Gm</b>		
<b>UL8Hf</b>	211	22.3	1.7	0.12	*	17.2	27.4	10.2	22.00	22.60	17.95		20.16	20.12	21.15	22.30	23.45	24.48	25.10	26.68	<b>UL8Hf</b>		
<b>UL8Hm</b>	190	20.9	1.3	0.09	*	17.0	24.8	7.8	20.66	21.14	17.57		18.76	19.23	20.02	20.90	21.78	22.57	23.04		<b>UL8Hm</b>		
<b>TDS</b>	n	mean	sd	se	med	min	max	range	99.9%CI	LL99.9%CI	UL	0.50%	2.5%	5%	10%	25%	50%	75%	90%	95%	97.50%	99.50%	<b>TDS</b>
<b>LL8Af</b>	73	10.1	1.6	0.19	*	5.3	14.9	9.6	9.62	10.58	6.00		7.96	8.05	9.02	10.10	11.18	12.15	12.73	14.22	<b>LL8Af</b>		
<b>LL8Am</b>	65	10.1	1.4	0.17	*	5.9	14.3	8.4	9.65	10.55	6.52		7.96	8.31	9.16	10.10	11.04	11.89	12.40	13.71	<b>LL8Am</b>		
<b>LL8Bf</b>	50	11.0	1.2	0.17	*	7.4	14.6	7.2	10.56	11.44	7.93		8.86	9.46	10.19	11.00	11.81	12.54	12.97	14.09	<b>LL8Bf</b>		
<b>LL8Bm</b>	58	11.1	1.3	0.17	*	7.2	15.0	7.8	10.66	11.54	7.77		8.96	9.43	10.22	11.10	11.98	12.77	13.24	14.45	<b>LL8Bm</b>		
<b>LL8Cf</b>	137	12.6	1.5	0.13	*	8.1	17.1	9.0	12.27	12.93	8.76		10.46	10.68	11.59	12.60	13.61	14.52	15.07	16.46	<b>LL8Cf</b>		
<b>LL8Cm</b>	135	12.2	1.3	0.11	*	8.3	16.1	7.8	11.91	12.49	8.87		10.06	10.53	11.32	12.20	13.08	13.87	14.34	15.55	<b>LL8Cm</b>		
<b>LL8Df</b>	128	15.0	1.6	0.14	*	10.2	19.8	9.6	14.64	15.36	10.90		12.86	12.95	13.92	15.00	16.08	17.05	17.63	19.12	<b>LL8Df</b>		
<b>LL8Dm</b>	83	14.6	1.5	0.16	*	10.1	19.1	9.0	14.18	15.02	10.76		12.46	12.68	13.59	14.60	15.61	16.52	17.07	18.46	<b>LL8Dm</b>		
<b>LL8Ef</b>	142	16.4	1.7	0.14	*	11.3	21.5	10.2	16.03	16.77	12.05		14.26	14.22	15.25	16.40	17.55	18.58	19.20	20.78	<b>LL8Ef</b>		
<b>LL8Em</b>	69	16.2	1.7	0.20	*	11.1	21.3	10.2	15.67	16.73	11.85		14.06	14.02	15.05	16.20	17.35	18.38	19.00	20.58	<b>LL8Em</b>		
<b>LL8Ff</b>	112	17.6	1.9	0.18	*	11.9	23.3	11.4	17.14	18.06	12.74		15.46	15.16	16.32	17.60	18.88	20.04	20.73	22.49	<b>LL8Ff</b>		
<b>LL8Fm</b>	99	16.7	1.4	0.14	*	12.5	20.9	8.4	16.34	17.06	13.12		14.56	14.91	15.76	16.70	17.64	18.49	19.00	20.31	<b>LL8Fm</b>		
<b>LL8Gf</b>	96	19.5	1.9	0.19	*	13.8	25.2	11.4	19.00	20.00	14.64		17.36	17.06	18.22	19.50	20.78	21.94	22.63	24.39	<b>LL8Gf</b>		
<b>LL8Gm</b>	90	18.6	1.6	0.17	*	13.8	23.4	9.6	18.16	19.04	14.50		16.46	16.55	17.52	18.60	19.68	20.65	21.23	22.72	<b>LL8Gm</b>		
<b>LL8Hf</b>	226	22.4	1.7	0.11	*	17.3	27.5	10.2	22.11	22.69	18.05		20.26	20.22	21.25	22.40	23.55	24.58	25.20	26.78	<b>LL8Hf</b>		
<b>LL8Hm</b>	187	21.1	1.2	0.09	*	17.5	24.7	7.2	20.87	21.33	18.03		18.96	19.56	20.29	21.10	21.91	22.64	23.07		<b>LL8Hm</b>		
<b>TDS</b>	n	mean	sd	se	med	min	max	range	99.9%CI	LL99.9%CI	UL	0.50%	2.5%	5%	10%	25%	50%	75%	90%	95%	97.50%	99.50%	<b>TDS</b>
<b>LR8Af</b>	78	10.3	1.7	0.19	*	5.2	15.4	10.2	9.80	10.80	5.95		8.16	8.12	9.15	10.30	11.45	12.48	13.10	14.68	<b>LR8Af</b>		
<b>LR8Am</b>	67	10.1	1.3	0.16	*	6.2	14.0	7.8	9.69	10.51	6.77		7.96	8.43	9.22	10.10	10.98	11.77	12.24	13.45	<b>LR8Am</b>		
<b>LR8Bf</b>	45	10.7	1	0.15	*	7.7	13.7	6.0	10.32	11.08	8.14		8.56	9.42	10.03	10.70	11.37	11.98	12.35	13.28	<b>LR8Bf</b>		
<b>LR8Bm</b>	57	11.2	1.5	0.20	*	6.7	15.7	9.0	10.69	11.71	7.36		9.06	9.28	10.19	11.20	12.21	13.12	13.67	15.06	<b>LR8Bm</b>		

<b>LR8Cf</b>	130	12.6	1.5	0.13	*	8.1	17.1	9.0	12.26	12.94	8.76		10.46	10.68	11.59	12.60	13.61	14.52	15.07		16.46	<b>LR8Cf</b>
<b>LR8Cm</b>	140	12.3	1.4	0.12	*	8.1	16.5	8.4	11.99	12.61	8.72		10.16	10.51	11.36	12.30	13.24	14.09	14.60		15.91	<b>LR8Cm</b>
<b>LR8Df</b>	125	14.9	1.5	0.13	*	10.4	19.4	9.0	14.55	15.25	11.06		12.76	12.98	13.89	14.90	15.91	16.82	17.37		18.76	<b>LR8Df</b>
<b>LR8Dm</b>	82	14.8	1.8	0.20	*	9.4	20.2	10.8	14.29	15.31	10.19		12.66	12.49	13.59	14.80	16.01	17.11	17.76		19.44	<b>LR8Dm</b>
<b>LR8Ef</b>	137	16.2	1.6	0.14	*	11.4	21.0	9.6	15.85	16.55	12.10		14.06	14.15	15.12	16.20	17.28	18.25	18.83		20.32	<b>LR8Ef</b>
<b>LR8Em</b>	63	15.8	1.5	0.19	*	11.3	20.3	9.0	15.31	16.29	11.96		13.66	13.88	14.79	15.80	16.81	17.72	18.27		19.66	<b>LR8Em</b>
<b>LR8Ff</b>	132	17.7	1.9	0.17	*	12.0	23.4	11.4	17.27	18.13	12.84		15.56	15.26	16.42	17.70	18.98	20.14	20.83		22.59	<b>LR8Ff</b>
<b>LR8Fm</b>	113	16.9	1.5	0.14	*	12.4	21.4	9.0	16.54	17.26	13.06		14.76	14.98	15.89	16.90	17.91	18.82	19.37		20.76	<b>LR8Fm</b>
<b>LR8Gf</b>	88	19.4	1.8	0.19	*	14.0	24.8	10.8	18.90	19.90	14.79		17.26	17.09	18.19	19.40	20.61	21.71	22.36		24.04	<b>LR8Gf</b>
<b>LR8Gm</b>	79	18.7	1.6	0.18	*	13.9	23.5	9.6	18.24	19.16	14.60		16.56	16.65	17.62	18.70	19.78	20.75	21.33		22.82	<b>LR8Gm</b>
<b>LR8Hf</b>	222	22.3	1.7	0.11	*	17.2	27.4	10.2	22.01	22.59	17.95		20.16	20.12	21.15	22.30	23.45	24.48	25.10		26.68	<b>LR8Hf</b>
<b>LR8Hm</b>	186	21.1	1.2	0.09	*	17.5	24.7	7.2	20.87	21.33	18.03		18.96	19.56	20.29	21.10	21.91	22.64	23.07		24.19	<b>LR8Hm</b>
<b>TDS</b>	<b>n</b>	<b>mean</b>	<b>sd</b>	<b>se</b>	<b>med</b>	<b>min</b>	<b>max</b>	<b>range</b>	<b>99.9%CI</b>	<b>99.9%CIUL</b>	<b>0.50%</b>	<b>2.5%</b>	<b>5%</b>	<b>10%</b>	<b>25%</b>	<b>50%</b>	<b>75%</b>	<b>90%</b>	<b>95%</b>	<b>97.50%</b>	<b>99.50%</b>	<b>TDS</b>

~~~~~ END ~~~~~

Note - Stage H may have too high a mean value as the upper boundary of Stage H may not have been appropriately censored